

TABLE DES PRESSIONS CONSEILLÉES PAR PIRELLI DIABLO™ SUPERCORSA SC – V3

	Largeur de la Jante (Pouces)	Pression À Froid Recommandée Bar (psi)	Haute Pression Recommandée Bar (psi)	Temps de Chauffe °C (°F)
FRONT 110/70 ZR17	3.00	2.0/2.2 (29/32)	2.0/2.3 (29/34)	50 MINS. @ 80 °C (176°F)
FRONT 120/70 ZR17	3.50	2.0/2.2 (29/32)	2.1/2.4 (30/35)	50 MINS. @ 80 °C (176°F)
REAR 140/70 ZR17	3.50 - 4.00	1.7/1.9 (25/28)	1.8/2.0 (26/29)	50 MINS. @ 80 °C (176°F)
REAR 150/60 ZR17	4.00	1.6/1.8 (23/26)	1.7/1.9 (25/28)	50 MINS. @ 80 °C (176°F)
REAR 160/60 ZR17	4.50	1.6/1.8 (23/26)	1.7/1.9 (25/28)	50 MINS. @ 80 °C (176°F)
REAR 180/55 ZR17	5.50	1.6/1.8 (23/26)	1.7/1.9 (25/28)	50 MINS. @ 80 °C (176°F)
REAR 180/60 ZR17	5.50	1.6/1.8 (23/26)	1.7/1.9 (25/28)	50 MINS. @ 80 °C (176°F)
REAR 190/55 ZR17	5.50 - 6.00	1.6/1.8 (23/26)	1.7/1.9 (25/28)	50 MINS. @ 80 °C (176°F)
REAR 200/55 ZR17	6.00	1.6/1.8 (23/26)	1.7/1.9 (25/28)	50 MINS. @ 80 °C (176°F)
REAR 200/60 ZR17	6.00	1.6/1.8 (23/26)	1.7/1.9 (25/28)	50 MINS. @ 80 °C (176°F)